

ADDENDUM NO. 1

July 18, 2018

EAST TEXAS REGIONAL AIRPORT
SOUTHWEST GA AREA TAXILANE – PHASE I

COUNTY BID No. 2018-815
FAA AIP No. 3-48-0137-45-2018
KSA Project No. GC.107

NOTICE TO BIDDERS:

The following items represent changes in the drawings and project manual for this project. This addendum becomes a part of the Contract Documents. All bidders shall be governed accordingly.

This addendum consists of one (1) page and three (3) attachments [nine (9) pages total].

1. Specification Section P-152 Unclassified Excavation, page 8, Section 152-2.2, Add “All unusable excess excavation shall be disposed of offsite by the contractor. There are no onsite disposal areas.”
2. Specification Section “Proposal” is herein revised and reissued in its entirety. (Attached 6 pages PR1-PR6)
3. On Sheet No. 2, Summary of Quantities, the following shall be revised. Item F-162-5.1 has been changed from 615 L.F. to 875 L.F. and Item S-33-5.4 has been changed from 1 Each to 2 Each.
4. Sheet No. 14 Utility Plan, is revised and reissued in its entirety. (Attached 1 page, Sheet No. 14R)
5. Sheet No. 18 Fencing Plan, is revised and reissued in its entirety. (Attached 1 page, Sheet No. 18R)

END OF ADDENDUM NO. 1

PROPOSAL

Place: Gregg County, Texas

Date: _____

Proposal of _____

A Corporation organized and existing under the laws of the State of _____

OR

Proposal of _____

A partnership consisting of _____

and _____

OR

Proposal of _____

An individual trading as _____

and _____

To: Gregg County Purchasing Agent
Gregg County Courthouse
101 E. Methvin
Longview, Texas 75601

The undersigned Bidder, having visited the site and examined the Plans, Specifications, and other Contract Documents, including the Addenda and being familiar with the conditions relating to the proposed project, hereby proposed to furnish all tools, appliances, equipment, and specified materials and perform all necessary labor for Southwest GA Area Taxilane – Phase I in strict accordance with the Plans, Specifications and other Contract Documents at and for the unit prices proposed herein.

The undersigned Bidder, having read the Advertisement for Bids, understands that sealed Proposals will be received by Kelli L. Davis, CPPB, Gregg County Purchasing Agent, at 101 East Methvin Street, Suite 205, Gregg County Courthouse, Longview, Texas 75601, until Wednesday, July 25, 2018 at 2:00 p.m.

The Undersigned Bidder, in compliance with the Bid Advertisement hereby proposes to do the work called for in said Specifications and other Contract Documents and shown on the Plans for the said work at the following rate and prices:

SPEC NO.	QUAN.	UNIT	DESCRIPTION (with unit price in words)	UNIT PRICE	TOTAL PRICE
P-101-5.1	1,625	S.Y.	Pavement and Base Removal at _____ Dollars and _____ Cents per square yard	\$ _____	\$ _____
P-151-4.2	3.3	AC.	Clearing and Grubbing at _____ Dollars and _____ Cents per acre	\$ _____	\$ _____
P-152-4.1	7,000	C.Y.	Unclassified Excavation at _____ Dollars and _____ Cents per cubic yard	\$ _____	\$ _____
P-155-8.1	5,800	S.Y.	Lime-Treated Subgrade at _____ Dollars and _____ Cents per square yard	\$ _____	\$ _____
P-155-8.2	315,000	LB	Lime at _____ Dollars and _____ Cents per pound	\$ _____	\$ _____
P-156-5.1	1,075	L.F.	Installation and Removal of Silt Fence at _____ Dollars and _____ Cents per linear foot	\$ _____	\$ _____
P-401-8.1	770	TON	Bituminous Surface Course at _____ Dollars and _____ Cents per ton	\$ _____	\$ _____
P-403-8.1	1,150	TON	HMA Base Course at _____ Dollars and _____ Cents per ton	\$ _____	\$ _____

SPEC NO.	QUAN.	UNIT	DESCRIPTION (with unit price in words)	UNIT PRICE	TOTAL PRICE
P-620-5.1	1,300	S.F.	Runway and Taxiway Markings at _____ Dollars and _____ Cents per square foot	\$ _____	\$ _____
F-162.-5.1	875	L.F.	6' Chain-Link Security Fence at _____ Dollars and _____ Cents per linear foot	\$ _____	\$ _____
D-701-5.1	250	L.F.	18" ASTM C-76, Class III,RCP at _____ Dollars and _____ Cents per linear foot	\$ _____	\$ _____
D-701-5.2	50	L.F.	18" ASTM C-76, Class III,RCP, ARCH at _____ Dollars and _____ Cents per linear foot	\$ _____	\$ _____
D-751-5.3	2	EA.	Inlets at _____ Dollars and _____ Cents per each	\$ _____	\$ _____
D-754-5.1	50	C.Y.	Concrete Ditches at _____ Dollars and _____ Cents per cubic yard	\$ _____	\$ _____
T-901-5.1	2.1	AC.	Seeding at _____ Dollars and _____ Cents per acre	\$ _____	\$ _____
T-905-5.2	10,100	S.Y.	Topsoiling (Furnished From Off the Site) at _____ Dollars and _____ Cents per square yard	\$ _____	\$ _____
GP-105	1	L.S.	Mobilization at _____ Dollars and _____ Cents per lump sum	\$ _____	\$ _____
S-005.1	2,550	S.Y.	Geotextile Fabric at _____ Dollars and _____ Cents per square yard	\$ _____	\$ _____

SPEC NO.	QUAN.	UNIT	DESCRIPTION (with unit price in words)	UNIT PRICE	TOTAL PRICE
S-006.1	1,550	S.Y.	Erosion Control Matting at _____ Dollars and _____ Cents per square yard	\$ _____	\$ _____
S-13-5.1	23	EA.	Taxiway Centerline Retroreflective Markers (Green) at _____ Dollars and _____ Cents per each	\$ _____	\$ _____
S-33-5.1	600	L.F.	Furnish and Install 3" AWWA C900 DR 18 PVC Waterline at _____ Dollars and _____ Cents per linear foot	\$ _____	\$ _____
S-33-5.2	1	EA.	Furnish and Install 3" Tapping Sleeve and Valve Assembly at _____ Dollars and _____ Cents per each	\$ _____	\$ _____
S-33-5.3	1	EA.	Install 1" Water Service Line at _____ Dollars and _____ Cents per each	\$ _____	\$ _____
S-33-5.4	2	EA.	Furnish and Install 3" Gate Valve Assembly at _____ Dollars and _____ Cents per each	\$ _____	\$ _____
TXDOT 340	525	TON	Fine Graded Hot-Mix Asphalt (Type D) at _____ Dollars and _____ Cents per ton	\$ _____	\$ _____
TXDOT 247-5.1	2,800	S.Y.	6" Flexible Base Course at _____ Dollars and _____ Cents per square yard	\$ _____	\$ _____

TOTAL AMOUNT BID: \$ _____

All extensions of the unit prices will be subject to verification by the Owner. In case of discrepancy between a unit price and its extension, the unit price will be considered to be the bid.

Accompanying this Proposal is a (Certified Check/Bid Bond) in an amount not less than five percent (5%) of the total amount of bid, which it is agreed, shall be retained as liquidated damages by the Gregg County Commissioners Court if the undersigned fails to execute the Contract and furnish bond as specified within ten (10) days after formal notification of award to the undersigned.

The undersigned agrees to begin work within ten (10) days after the work order is issued and complete the work within the following time schedule:

90 calendar days

Should the Contractor fail to fully complete the work within the above stated time, he shall pay the Gregg County Commissioners Court, as fixed, agreed and liquidated damages, and not as a penalty, the sum specified in subparagraph LIQUIDATED DAMAGES OF INSTRUCTION TO BIDDERS, for each working day of delay until the work is completed or accepted, and the additional time is only to be allowed for delays as stipulated in the Contract Documents. Liquidated damages shall also be accessed at the same rate as specified above for phased construction as required by the plans.

The undersigned Bidder agrees that this bid may not be withdrawn for a period of ninety (90) days after the opening thereof.

Previous Contracts. Section 60-1.7 (b) of the Regulations of the Secretary of Labor requires each bidder or prospective prime contractor and proposed subcontractor, where appropriate, to state in the bid or at the outset of negotiations for the contract whether it has participated in any previous contract or subcontract subject to the equal opportunity clause; and if so, whether it has filed with the Joint Reporting Committee, the Director, an agency, or the former President's Committee in Equal Employment Opportunity all reports due under the applicable filing requirements. In any case in which a bidder or prospective prime contractor or proposed subcontractor that participated in a previous contract subject to Executive Order 10925, 11114, or 11246 has not filed a report due under the applicable filing documents, no contract or subcontract shall be awarded unless such contractor submits a report covering the delinquent period or such other period specified by the FAA or the Director, OFCCP.

Bid or Proposal Form. To effectuate the foregoing requirements the sponsor is required to include in the bid or proposal form a statement of substantially as follows:

The Bidder (proposer) shall complete the following statement by checking the appropriate space.

The Bidder (proposer) has _____ has not _____ participated in a previous contract subject to the equal opportunity clause prescribed by Executive Order 10925, or Executive Order 11114, or Executive Order 11246.

The Bidder (proposer) has _____ has not _____ submitted all compliance reports in connection with any such contract due under the applicable filing requirements; and that representations indicating submission of required compliance reports signed by proposed subcontractors will be obtained prior to award of subcontracts.

If the Bidder (proposer) has participated in a previous contract subject to the equal opportunity clause and has not submitted compliance reports due under applicable filing requirements, the Bidder (proposer) shall submit a compliance report on Standard Form 100, "Employee Information Report EEO-1" prior to the award of contract.

Standard Form 100 is normally furnished to contractors annually, based on a mailing list currently maintained by the Joint Reporting Committee. In the event a contractor has not received the form, he may obtain it by writing to the Joint Reporting Committee, 1800 G Street, Washington, DC 20506.

BUY AMERICAN CERTIFICATE (JAN 1991)

By submitting a bid/proposal under this solicitation, except for those items listed by the offerer below or on a separate and clearly identified attachment to this bid/proposal, the offerer certifies that steel and each manufactured product, is produced in the United States (as defined in the clause Buy American - Steel and Manufactured Products or Buy American - Steel and Manufactured Products for Construction Contracts) and that components of unknown origin are considered to have been produced or manufactured outside the United States.

A list of articles, materials, and supplies excepted from this provision is included in Appendix 3.

Witness

SEAL (If Bidder is a Corporation)

Name of Bidder

By _____
(Signature)

(Print Name and Title)

(Address)

(City, State and Zip Code)

(Phone Number)



Submitted on _____, 2018.

The Bidder has examined copies of all the Bidding Documents and of the following Addenda (receipt of which is hereby acknowledged):

Date

Addenda Number

Note: Sign in ink. Do not detach. All items listed in the Unit Price Schedule must be bid upon.





07/18	DATE
ADDENDUM NO. 1	REVISION
MARK	REVISION
MCKENZIE ENGINEERING PROJECTS (C) 2018 CAD 30 SHEETS GC-107-C-UTIL-0001.DWG WATER, 1/17/2018 - 4:46 PM DRAWING PATH NAME LAYOUT PLOT DATE - TIME	

UTILITY PLAN

EAST TEXAS REGIONAL AIRPORT
SOUTHWEST GA AREA
TAXILANE - PHASE I
 LONGVIEW, TEXAS

DRAWN BY:	JKP
DESIGNED BY:	CEH
LATEST REVISION:	7/17/2018
ISA JOB NO.:	GC.107


 1111 Haven Ave.
 Shreveport, Louisiana 71107
 T: 318-221-7501 F: 888-224-9418
 www.ksaeng.com


 SEAL:
 TBPE Firm Registration No. F-1356
 SHEET NO.

WATER LINE NOTES:

- UNLESS OTHERWISE DIRECTED, LINE SHALL BE INSTALLED WITH 36" MIN. COVER AND 72" MAX. COVER. PIPE SHALL BE AWWA C900 DR18 PVC PIPE AS SHOWN ON PLANS WITH RUBBER GASKET JOINTS. THE LINE SHALL BE INSTALLED AT THE LOCATION SHOWN ON THE PLANS. THE CONTRACTOR IS TO MAINTAIN SERVICE TO CUSTOMERS AT ALL TIMES. THE LINE SHALL BE INSTALLED WITH 12 GAUGE SOLID TRACER WIRE. TRACER WIRE SPLICES SHALL UTILIZE A DBY-6 DIRECT BURY SPLICE KIT AS MANUFACTURED BY 3M.
- INSTALLED LINE SHALL BE HYDROSTATICALLY TESTED AT 150 PSI FOR 4 HOURS. ALL APPARENT LEAKS SHALL BE REPAIRED. THE HYDROSTATIC LEAKAGE RATE FOR POLYVINYL CHLORIDE (PVC) PIPE AND APPURTENANCES SHALL NOT EXCEED THE AMOUNT ALLOWED BY AWWA C605. $Q=LD(P)^{1/2} / 148,000$ WHERE Q IS THE QUANTITY OF MAKEUP WATER IN GALLONS PER HOUR, L IS THE LENGTH OF PIPE SECTION BEING TESTED IN FEET, D IS THE NOMINAL DIAMETER OF THE PIPE IN INCHES, AND P IS THE AVERAGE TEST PRESSURE DURING THE HYDROSTATIC TEST IN POUNDS PER SQUARE INCH.
- LINE SHALL BE STERILIZED USING A MINIMUM 25 PPM CHLORINE SOLUTION FOR A PERIOD OF 24 HOURS. STERILIZED LINE SHALL BE FLUSHED TO REDUCE CHLORINE CONCENTRATION TO 0.2 PPM MAXIMUM, THEN SAMPLED FOR BACTERIOLOGICAL ANALYSIS. SAMPLE(S) SHALL BE TRANSPORTED TO TEXAS DEPARTMENT OF HEALTH LAB FOR ANALYSIS. RESULTS SHALL BE RETURNED TO ENGINEER. LINE SHALL BE FLUSHED, RESTERILIZED AND RETESTED AS NECESSARY TO OBTAIN TEXAS DEPARTMENT OF HEALTH APPROVAL. SEE SPECIFICATION SECTION 02675, ENTITLED "DISINFECTION OF WATER DISTRIBUTION SYSTEM."
- THE LOCATION OF EXISTING UTILITIES SHOWN ON THE PLANS IS APPROXIMATE. THE CONTRACTOR SHALL VERIFY THE LOCATION AND PRESENCE OF ALL UTILITIES. UTILITIES NOT SHOWN ON THE PLANS MAY BE PRESENT. THE CONTRACTOR SHALL ANTICIPATE THE PRESENCE OF EXISTING UTILITIES IN THE LOCATION OF THE PROPOSED WATER LINE. NOTIFY TELEPHONE COMPANIES, PIPELINE COMPANIES, AND RAILROAD COMPANIES A MINIMUM OF 48 HOURS BEFORE CONSTRUCTION IN THE VICINITY OF THEIR LINES OR RIGHT-OF-WAYS.
- GATE VALVES SHALL BE RESILIENT SEAT OR RESILIENT WEDGE MECHANICAL JOINT GATE VALVES WITH 2" SQUARE NUT OPERATORS IN ACCORDANCE WITH AWWA C509 OR C515.
- ALL TRENCHES SHALL BE BACK FILLED IMMEDIATELY AFTER PLACEMENT OF THE PIPE. EXCAVATED SOIL SHALL NOT BE LEFT ON PUBLIC R-O-W OVER NIGHT.
- EXISTING WATER LINES SHALL REMAIN IN SERVICE UNTIL PROPOSED LINE IS TESTED AND APPROVED FOR SERVICE BY THE ENGINEER. AT THAT TIME SERVICES MAY BE TRANSFERRED TO THE PROPOSED LINE. SERVICE SHALL BE INTERRUPTED ONLY AS NECESSARY FOR TRANSFER TO THE PROPOSED LINE.

LEGEND	
	PROPOSED WATERLINE
	EXISTING WATERLINE
	EXISTING BUILDING

14R

LAST SAVED BY: JPENNINGTON

